



IRONS

Idea Hybrid Irons									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
2 Hybrid	16.5°	56.75°	41.75"	D0.5	-	R	A R S	-	-
3 Hybrid	19°	58°	40.75"	D0.5	-	R L	A R S	-	-
4 Hybrid	22°	59.25°	39.75"	D0.5	-	R L	A R S	-	-
5 Hybrid	25°	60.25°	39"	D0.5	-	R L	A R S	-	-
6 Hybrid	28°	61.25°	38.25"	D0.5	-	R L	A R S	-	-
7 Hybrid	32°	62.25°	37.5"	D0.5	-	R	A R S	-	-
5 Hybrid Iron	25°	60.25°	39"	D0.5	D1.5	R	A R S	-	-
6 Hybrid Iron	28°	61.25°	38.25"	D0.5	D1.5	R L	A R S	-	-
7 Hybrid Iron	32°	62.25°	37.5"	D0.5	D1.5	R L	A R S	-	-
8 Hybrid Iron	36°	63°	36.75"	D0.5	D1.5	R L	A R S	-	-
8 Iron	36°	63°	36.75"	D0.5	D1.5	R L	A R S	-	-
9 Iron	40°	63.75°	36"	D0.5	D1.5	R L	A R S	-	-
PW	44°	64°	35.75"	D1.5	D2.5	R L	A R S	4.0°	-
GW	49°	64°	35.5"	D1.5	D2.5	R L	A R S W	6.0°	-
SW	54°	64°	35.5"	D2.5	D3.5	R L	A R S W	10.0°	-
LW	59°	64°	35.25"	D2.5	D3.5	R L	A R S W	8.0°	-

Idea Hybrid Irons- Women's									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
3 Hybrid	20°	57.5°	41.75"	C3.5	-	R	Women's	-	-
4 Hybrid	22°	58.75°	40.75"	C3.5	-	R L	Women's	-	-
5 Hybrid	25°	59.75°	39.75"	C3.5	-	R L	Women's	-	-
6 Hybrid	28°	60.75°	39"	C3.5	-	R L	Women's	-	-
7 Hybrid	32°	61.75°	38.25"	C3.5	-	R	Women's	-	-
7 Hybrid Iron	32°	61.75°	37.5"	C3.5	-	R L	Women's	-	-
8 Hybrid Iron	36°	62.5°	39"	C3.5	-	R L	Women's	-	-
9 Iron	40°	63.25°	38.25"	C3.5	-	R L	Women's	-	-
PW	44°	63.75°	37.5"	C4.5	-	R L	Women's	-	-
GW	49°	64°	36.75"	C5.0	-	R	Women's	-	-
SW	54°	64°	36.75"	C5.5	-	R L	Women's	-	-
LW	59°	64°	36"	C6.0	-	R	Women's	-	-

IRONS

XTD Forged Irons									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
3 Hybrid	21°	59.5°	39.5"	D1	-	R L	A R S X	-	-
4 Hybrid	24°	60°	38.75"	D1	-	R L	A R S X	-	-
3 Iron	21°	60.25°	39"	D1	D0	R L	A R S X	-	-
4 Iron	24°	60.75°	38.5"	D1	D0	R	A R S X	-	-
5 Iron	27°	61.25°	38"	D3	D2	R L	A R S X	-	-
6 Iron	30°	61.75°	38.5"	D3	D2	R L	A R S X	-	-
7 Iron	34°	62.25°	37.875"	D3	D2	R L	A R S X	-	-
8 Iron	38°	62.75°	37.25"	D3	D2	R L	A R S X	-	-
9 Iron	42°	63.25°	36.625"	D3	D2	R L	A R S X	-	-
PW	46°	63.5°	36"	D3	D2	R L	A R S X	-	-
GW	50°	64°	35.75"	D3	D2	R L	A R S X	4.0°	-
SW	55°	64°	35.5"	D3	D2	R L	A R S X	6.0°	-
LW	60°	64°	35.5"	D3	D2	R L	A R S X	6.0°	-

SUPER S Hybrid Irons									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
1 Hybrid	15°	56°	40.5"	D1	-	R	A R S X	-	-
2 Hybrid	17°	56.5°	40.75"	D1	-	R L	A R S X	-	-
3 Hybrid	19°	57°	40"	D1	-	R L	A R S X	-	-
4 Hybrid	22°	57.5°	39.25"	D1	-	R L	A R S X	-	-
5 Hybrid	25°	58°	38.5"	D1	-	R L	A R S X	-	-
6 Hybrid	28°	58.5°	37.875"	D1	-	R	A R S X	-	-
4 Hybrid Iron	22°	60.25°	39.25"	D3	D2	R L	A R S X	-	-
5 Hybrid Iron	25°	60.75°	38.5"	D3	D2	R L	A R S X	-	-
6 Hybrid Iron	28°	61.5°	37.875"	D3	D2	R L	A R S X	-	-
7 Hybrid Iron	31°	62°	37.25"	D3	D2	R L	A R S X	-	-
8 Hybrid Iron	35°	62.75°	36.625"	D3	D2	R L	A R S X	-	-
9 Hybrid Iron	39°	63.25°	36"	D3	D2	R L	A R S X	-	-
PW	44°	63.5°	35.75"	D3	D2	R L	A R S X	4.0°	-
GW	49°	63.75°	35.5"	D3	D2	R L	A R S X	6.0°	-
SW	54°	64°	35.25"	D4	D3	R L	A R S X	10.0°	-
LW	59°	64°	35.25"	D4	D3	R L	A R S X	8.0°	-

IRONS

SUPER S Hybrid Irons- Women's

Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
4 Hybrid	22°	57.5°	38.25"	C6	-	R L	Women's	-	-
5 Hybrid	25°	58°	37.5"	C6	-	R L	Women's	-	-
6 Hybrid Iron	28°	61.5°	36.875"	C6	-	R L	Women's	-	-
7 Hybrid Iron	31°	62°	36.25"	C6	-	R L	Women's	-	-
8 Hybrid Iron	35°	62.75°	35.625"	C6	-	R L	Women's	-	-
9 Hybrid Iron	39°	63.25°	35"	C6	-	R L	Women's	-	-
PW	44°	63.5°	34.75"	C6	-	R L	Women's	4.0°	-
GW	49°	63.75°	34.5"	C6	-	R L	Women's	6.0°	-
SW	54°	64°	34.25"	C7	-	R L	Women's	10.0°	-
LW	59°	64°	34.25"	C7	-	R L	Women's	8.0°	-

IDEA Tech V4 All Hybrid Set

Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
2 Hybrid	17°	58.5°	41.25"	D0.5	-	R	A R S	-	-
3 Hybrid	19°	59.25°	40.5"	D0.5	-	R L	A R S	-	-
4 Hybrid	22°	60°	39.75"	D0.5	-	R L	A R S	-	-
5 Hybrid	25°	60.75°	39"	D0.5	-	R L	A R S	-	-
6 Hybrid	28°	61.25°	38.25"	D0.5	-	R L	A R S	-	-
7 Hybrid	32°	62.25°	37.5"	D0.5	-	R L	A R S	-	-
6 Hybrid Iron	28°	61.5°	38.25"	D0.5	D1.5	R L	A R S	-	-
7 Hybrid Iron	32°	62.25°	37.5"	D0.5	D1.5	R L	A R S	-	-
8 Hybrid Iron	36°	63°	36.75"	D0.5	D1.5	R L	A R S	-	-
9 Hybrid Iron	40°	63.75°	36"	D0.5	D1.5	R L	A R S	-	-
PW	44°	64°	35.75"	D1.0	D2	R L	A R S	4°	-
GW	49°	64°	35.5"	D1.0	D2	R L	A R S	6°	-

IRONS

IDEA Tech V4 Forged Set									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
2 Hybrid	17°	58.5°	41.25"	D0.5	-	R	ARS	-	-
3 Hybrid	19°	59.25°	40.5"	D0.5	-	RL	ARS	-	-
4 Hybrid	22°	60°	39.75"	D0.5	-	RL	ARS	-	-
5 Hybrid	25°	60.75°	39"	D0.5	-	RL	ARS	-	-
6 Hybrid	28°	61.5°	38.25"	D0.5	-	RL	ARS	-	-
7 Hybrid	32°	62.25°	37.5"	D0.5	-	RL	ARS	-	-
5	25°	60.75°	39"	D0.5	D1.5	RL	ARS	-	-
6	28°	61.5°	38.25"	D0.5	D1.5	RL	ARS	-	-
7	32°	62.25°	37.5"	D0.5	D1.5	RL	ARS	-	-
8	36°	63°	36.75"	D0.5	D1.5	RL	ARS	-	-
9	40°	63.75°	36"	D0.5	D1.5	RL	ARS	-	-
PW	44°	64°	35.75"	D1.0	D2	RL	ARS	3.0°	-
GW	49°	64°	35.5"	D1.0	D2	RL	ARS	5.0°	-
SW	54°	64°	35.5"	D2.0	D3	RL	RSX	10.0°	-
LW	59°	64°	35.25"	D2.0	D3	RL	RSX	6.0°	-

IDEA CMB									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
3 Iron	21°	60.25°	39"	D0	D2	R	RSX	-	-
4 Iron	24°	60.75°	38.5"	D0	D2	R	RSX	-	-
5 Iron	27°	61.25°	38"	D0	D2	R	RSX	-	-
6 Iron	30°	61.75°	37.5"	D0	D2	R	RSX	-	-
7 Iron	34°	62.25°	37"	D0	D2	R	RSX	-	-
8 Iron	38°	62.75°	36.5"	D0	D2	R	RSX	-	-
9 Iron	42°	63.25°	36"	D0	D2	R	RSX	-	-
PW	46°	63.5°	35.75"	D1	D3	R	RSX	7°	-
GW	50°	64°	35.5"	D1	D3	R	RSX	7°	-

IRONS

IDEA Black CB3									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
3 Iron	21°	59.5°	39.75"	D2	D3	R L	R S X	-	-
4 Iron	23°	60.25°	39.125	D2	D3	R L	R S X	-	-
5 Iron	26°	60.75°	38.5"	D2	D3	R L	R S X	-	-
6 Iron	29°	61.5°	37.875"	D2	D3	R L	R S X	-	-
7 Iron	33°	62°	37.25"	D2	D3	R L	R S X	-	-
8 Iron	37°	62.75°	36.625"	D2	D3	R L	R S X	-	-
9 Iron	41°	63.25°	36"	D2	D3	R L	R S X	-	-
PW	45°	63.5°	35.75"	D2	D3	R L	R S X	4°	-
GW	49°	63.75°	35.5"	D2	D3	R L	R S X	6°	-

IDEA a12 OS									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
2 Iron	17°	58.5°	41.25"	D1	-	R	A R S	-	-
3 Iron	19°	59.25°	40.5"	D1	-	R L	A R S	-	-
4 Iron	22°	60°	39.75"	D1	-	R L	A R S	-	-
5 Iron	25°	60.75°	39"	D1	D1	R L	A R S	-	-
6 Iron	28°	61.25°	38.25"	D1	D1	R L	A R S	-	-
7 Iron	32°	62.25°	37.5"	D1	D1	R L	A R S	-	-
8 Iron	36°	63°	36.75"	D1	D1	R L	A R S	-	-
9 Iron	40°	63.75°	36"	D1	D1	R L	A R S	-	-
PW	44°	64°	35.75"	D2	D2	R L	A R S	4°	-
GW	49°	64°	35.5"	D2	D2	R L	A R S	6°	-
SW	54°	64°	35.5"	D3	D3	R L	A R S	12°	-
LW	59°	64°	35.25"	D3	D3	R L	A R S	8°	-

IRONS

IDEA a12 OS- Women's

Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
3 Iron	20°	58.25°	39.5"	C5	-	R	Women's	-	116
4 Iron	22°	59°	38.75"	C5	-	R L	Women's	-	110
5 Iron	25°	59.75°	38"	C5	-	R L	Women's	-	103
6 Iron	28°	60.5°	37.25"	C5	-	R L	Women's	-	97
7 Iron	32°	61.5°	36.5"	C5	-	R L	Women's	2.0°	
8 Iron	36°	62°	35.75"	C5	-	R L	Women's	2.5°	
9 Iron	40°	62.75°	35"	C5	-	R L	Women's	3.0°	
PW	44°	63.5°	34.75"	C5	-	R L	Women's	4.0°	
SW	54°	64°	34.5"	C6	-	R L	Women's	6.0°	
GW	49°	64°	34.5"	C6	-	R L	Women's	12.0°	
LW	59°	64°	34.5"	C6	-	R L	Women's	8.0°	

HYBRIDS

Idea Hybrid									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
2 Hybrid	16.5°	56.75°	41.75"	D0.5	-	R	ARS	-	-
3 Hybrid	19°	58°	40.75"	D0.5	-	RL	ARS	-	-
4 Hybrid	22°	59.25	39.75"	D0.5	-	RL	ARS	-	-
5 Hybrid	25°	60.25°	39"	D1.5	-	RL	ARS	-	-
6 Hybrid	28°	61.25°	38.25"	D1.5	-	RL	ARS	-	-
7 Hybrid	32°	62.25°	37.5"	D1.5	-	R	ARS	-	-

Idea Women's Hybrid									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
3 Hybrid	20°	57.5°	39.75"	C3.5	-	R	Women's	-	-
4 Hybrid	22°	58.75°	38.75"	C3.5	-	RL	Women's	-	-
5 Hybrid	25°	59.75°	38"	C3.5	-	RL	Women's	-	-
6 Hybrid	28°	60.75°	37.25"	C3.5	-	RL	Women's	-	-
7 Hybrid	32°	61.75°	36.5"	C3.5	-	R	Women's	-	-

XTD Ti Hybrid									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
16° Hybrid	16°	59°	41"	D2.0	-	R	RSX	-	-
18° Hybrid	18°	59.5°	40.5"	D2.0	-	RL	RSX	-	-
20° Hybrid	20°	60°	40"	D2.0	-	RL	RSX	-	-
23° Hybrid	23°	60.5°	39.5"	D2.0	-	R	RSX	-	-
26° Hybrid	26°	61°	39"	D2.0	-	R	RSX	-	-

SUPER DHy Hybrid									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
18° Hybrid	18°	59°	40.25"	D2.0	-	RL	RSX	-	-
21° Hybrid	21°	59.5°	39.5"	D2.0	-	RL	RSX	-	-
24° Hybrid	24°	60°	38.75"	D2.0	-	R	RSX	-	-
27° Hybrid	27°	60.5°	38"	D2.0	-	R	RSX	-	-

HYBRIDS

SUPER 9031 Hybrid

Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
16° Hybrid	16°	56.5°	41"	D2.0	-	R	R S X	-	-
18° Hybrid	18°	57°	40.5"	D2.0	-	R L	R S X	-	-
20° Hybrid	20°	57.5°	40"	D2.0	-	R L	R S X	-	-
23° Hybrid	23°	58°	39.5"	D2.0	-	R	R S X	-	-

SUPER S Hybrid

Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
1 Hybrid	15°	56°	41.5"	D1	-	R	A R S X	-	-
2 Hybrid	17°	56.5°	40.75"	D1	-	R L	A R S X	-	-
3 Hybrid	19°	57°	40"	D1	-	R L	A R S X	-	-
4 Hybrid	22°	57.5°	39.25"	D1	-	R L	A R S X	-	-
5 Hybrid	25°	58°	38.5"	D1	-	R L	A R S X	-	-
6 Hybrid	28°	58.5°	37.875"	D1	-	R	A R S X	-	-

SUPER S Women's Hybrid

Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
3 Hybrid	19°	57°	39"	C6	-	R L	Women's	-	-
4 Hybrid	22°	57.5°	38.25"	C6	-	R L	Women's	-	-
5 Hybrid	25°	58°	37.5"	C6	-	R L	Women's	-	-
6 Hybrid	28°	58.5°	36.875"	C6	-	R	Women's	-	-

Idea SUPER LS Hybrid

Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
15° Hybrid	15°	56.5°	42"	D2	-	R	R S X	-	-
17° Hybrid	17°	57°	41.5"	D2	-	R L	R S X	-	-
19° Hybrid	19°	57°	41"	D2	-	R L	R S X	-	-
22° Hybrid	22°	57.5°	40.5"	D2	-	R L	R S X	-	-
25° Hybrid	25°	58°	40"	D2	-	R L	R S X	-	-
28° Hybrid	28°	58.5°	39.5"	D2	-	R	R S X	-	-

HYBRIDS

Idea Tech V4 Hybrid									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
2 Hybrid	17°	58.5°	41.25"	D0.5	-	R	ARS	-	-
3 Hybrid	19°	59.25°	40.5"	D0.5	-	RL	ARS	-	-
4 Hybrid	22°	60°	39.75"	D0.5	-	RL	ARS	-	-
5 Hybrid	25°	60.75°	39"	D0.5	-	RL	ARS	-	-
6 Hybrid	28°	61.5°	38.25"	D0.5	-	RL	ARS	-	-
7 Hybrid	32°	62.25°	37.5"	D0.5	-	RL	ARS	-	-

IDEA A12 OS Hybrid									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
2 Hybrid	17°	58.5°	41.25"	D1	-	R	ARS	-	-
3 Hybrid	19°	59.25°	40.5"	D1	-	RL	ARS	-	-
4 Hybrid	22°	60°	39.75"	D1	-	RL	ARS	-	-
5 Hybrid	25°	60.75°	39"	D1	-	RL	ARS	-	-
6 Hybrid	28°	61.25°	38.25"	D1	-	RL	ARS	-	-
7 Hybrid	32°	62.25°	37.5"	D1	-	RL	ARS	-	-

IDEA A12 OS Hybrid - Women's									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
3 Hybrid	20°	58.25°	39.5"	C5	-	R	Women's	-	-
4 Hybrid	22°	59°	38.75"	C5	-	RL	Women's	-	-
5 Hybrid	25°	59.75°	38"	C5	-	RL	Women's	-	-
6 Hybrid	28°	60.5°	37.25"	C5	-	RL	Women's	-	-
7 Hybrid	32°	61.5°	36.5"	C5	-	RL	Women's	-	-

FAIRWAY WOODS

XTD Ti Fairway Wood									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
XTD Ti 13.5	13.5°	58.5°	43.5"	D2	-	R	M R S X	-	-
XTD Ti 15	15°	59°	43"	D2	-	R L	M R S X	-	-
XTD Ti 18	18°	59.5°	42.5"	D2	-	R L	M R S X	-	-

SUPER S Fairway Wood									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
3+	13.5°	58.5°	43.5"	D2	-	R	A R S X	-	-
3	15°	58.5°	43"	D2	-	R L	A R S X	-	-
5	18°	58.5°	42.5"	D2	-	R L	A R S X	-	-

SUPER S Women's Fairway Wood									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
3	17°	57°	42"	C5	-	R L	Women's	-	-
5	20°	57°	41.5"	C5	-	R L	Women's	-	-
7	23°	57°	41"	C5	-	R	Women's	-	-

SUPER LS Fairway Wood									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
	13°	56.5°	43.5"	D2	-	R	R S X	-	171
	15°	57°	43"	D2	-	R L	R S X	-	165
	18°	57.5°	42.5"	D2	-	R L	R S X	-	159

DRIVERS

XTD Driver									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
Driver	9°	58.75°	45"	D3.0	-	R L	M R S X	-	460
Driver	10.5°	58.75°	45"	D3.0	-	R L	M R S X	-	460
Driver	12°	58.75°	45"	D3.0	-	R	M R S X	-	460

XTD Women's Driver									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
Driver	11.5°	58.5°	45"	C6	-	R L	Women's	-	460

SUPER S Driver									
Model	Loft (+/- 1°)	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
Driver	9.5°	59.5°	46"	D2	-	R	A R S X	-	460

SUPER S Women's Driver									
Model	Loft (+/- 1°)	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
Driver	11.5°	58.5°	45"	C6	-	R L	Women's	-	460

SUPER LS Driver									
Model	Loft	Lie	Length	SW Graphite	SW Steel	Dexterity	Flex	Bounce	Volume
Driver	8.5°	57.5°	45"	D3	-	R	R S X	-	460
Driver	9.5°	57.5°	45"	D3	-	R L	R S X	-	460
Driver	10.5°	57.5°	45"	D3	-	R L	R S X	-	460